

Service Status Page
ECOSYS M3655idn
09/06/2024 09:24
1372Z05529

Firmware Version

2TA_S000.003.401 / 2022.07.29
2TA_1000.006.001
2T6_1100.001.001
2TA_7000.003.401
2.1.8
2TA_F000.002.003

Controller Information

Memory Status

Standard Size 1.0 GB
Option Slot 0 MB
Total Size 1.0 GB

Time

Local Time Zone -05:00 Bogota, Lima, Quito, Rio Branco
Date and Time 09/06/2024 09:24
Time Server

Installed Options

Paper Feeder 2 Not Installed
Paper Feeder 3 Not Installed
Paper Feeder 4 Not Installed
Paper Feeder 5 Not Installed
SD Card Not Installed
SSD Not Installed
Card Authentication Kit (B) Not Installed
Data Security Kit (E) Not Installed
UG-33 Not Installed
USB Keyboard Not Connected
USB Keyboard Type US-English
Scan extension kit(A) Not Installed

Print Coverage

Average (%) / Usage Page(A4/Letter Conversion)
Total
K: 9.23 / 45461.90
Copy
K: 8.82 / 13514.80
Printer
K: 9.40 / 31947.10
Period (12/15/2022 - 09/06/2024 09:24)
Last Page (%) 0.00
Last Job (%) 0.00

FRPO Status

User Top Margin A1+A2/100 0.00
User Left Margin A3+A4/100 0.00
User Page Length A5+A6/100 13.61
User Page Width A7+A8/100 13.61

Reserved B0 00
Default Pattern Switch B8 00
Page Orientation C1 00
Default Font Number $C5*10000+C2*100+C3$ 00000
PCL Font Switch C8 00
Print density D4 03
Reserved D6 00
Host Buffer Size H8 05
FF Time Out H9 06
Reserved I5 01
Reserved I6 00
KIR Mode N0 02
Duplex mode N4 00
Sleep Timer N5 1
EcoPrint Mode N6 00
Reserved N7 00
Print Resolution N8 01
Default Emulation P1 09
CR/LF Action P2/P3 1/1
AES Mode P4 01
Alt. Emulation P5 06
AES Option 1/2 P7 11
Command Recognition P9 82
Default Paper Output R0 01
Default Paper Size R2 00
Reserved R3 00
Default Paper Source R4 01
MP Tray Paper Size R7 08
Override A4/LT S4 01
Host Buffer Size Rate S5 01
RAM Disk Size S6 64
RAM Disk Mode S7 01
Wide A4 T6 00
Default Line Spacing $U0+U1/100$ 6.00
Default Character Spacing $U2+U3/100$ 10.00
Reserved U4 01
Country Code/Symbol Set $U6/U7$ 41/53
Default Pitch $U8+U9/100$ 10.00
Default Font Height $V0*100+V1+V2/100$ 12.00
Default Font Name V3 Courier
Courier/LetterGothic V9 05
MP Tray Paper Type X0 01
Cassette 1 Paper Type X1 01
Cassette 2 Paper Type X2 01
Cassette 3 Paper Type X3 01
Cassette 4 Paper Type X4 01
Cassette 5 Paper Type X5 01
PCL Paper Source X9 00
Auto Error Clear Y0 00
Error Clear Timer Y1 06
Finishing error Y3 97
Special Type Act Mode Y4 00
PDF mode Y5 00
e-MPS error control Y6 03

RP Code

000C 0912 6518
000C 0912 5AF0
FFFF FFFF FFFF
FFFF FFFF FFFF

Print Settings

MP Tray Priority Off

Controller Information

Storage Status

USB 14.6GB

Altitude Adjustment

Status Normal

Transfer Adj.

Status Standard

Fuser Adjustment

Status 1

System Firmware(Details)

2TA_Q000.003.401
2TA_QA00.003.401
2TA_R000.003.401
2TA_R100.003.401
2TA_R200.003.401
2TA_R300.003.401
2TA_R400.003.401
2TA_R500.003.401
2TA_R600.003.401
2TA_R800.003.401
2TA_R900.003.401
2TA_RB00.003.401
2TA_RD00.003.401
2TA_S100.003.401

Engine Information

NVRAM Version _CjA7831_CjA7831

Scanner Version

MAC Address 00:17:C8:E9:6A:C3

DP Counters

Total 7673

1/2

614/592

-10/0/0/0/0/-5/0/

0/0/0/0/0/0/0/

0/50/0/50/

0047508/0003285/0041349/////0002874/

0047485/0047485/

0047053/

F00/U00/0/1/2/1/0/25/50/0/0/0/0/01//5/2/0/1/1/

2010/9000/2010/4000/3010/2010/0000/2010/2010/2010/2010/6000/6000/

6000/2010/2010/2010/2010/2010/2010/2010/2010/

00B00021/00000000/544B2D3331383200000000000000000000/36593442323734590000000000000000/3
408/00/00/0000094914017485

/0/

[][][]

[2TA_81BR.003.301][][][]

00000A00--/00F8F7EB--/--FDF9010A/000018AB--/-----0000/02A7

0/4/

-/-/

0/5/

1/

0/0/0/

F2Y112ZA1078/