

Network Status Page
ECOSYS M3655idn
09/06/2024 09:24
1372Z05529

Firmware Version

2TA_S000.003.401 / 2022.07.29
2TA_1000.006.001
2T6_1100.001.001
2TA_7000.003.401

Network Detail

MAC Address: 00:17:C8:E9:6A:C3

LAN Interface

Setting: Auto
Current: 100BASE-TX Full

SSL/TLS Server

Status: Enabled
HTTPS: Disabled

IPSec

Setting: Off
Restriction: Allow
Status: Inactive
Rule 1: Off
Rule 2: Off
Rule 3: Off
Rule 4: Off
Rule 5: Off
Rule 6: Off
Rule 7: Off
Rule 8: Off
Rule 9: Off
Rule 10: Off

IEEE 802.1X

Status: Disabled
Type: PEAP

Certificate Status

Device 1(Self Issued): Active
Device 2: Inactive
Device 3: Inactive
Device 4: Inactive
Device 5: Inactive
Root 1: Inactive
Root 2: Inactive
Root 3: Inactive
Root 4: Inactive
Root 5: Inactive

Enhanced WSD

Status: Enabled

Enhanced WSD over SSL

Status: Enabled

TCP/IP

Status: Enabled

Printer Host Name: KME96AC3

IPv4:

DHCPv4 Status: Disabled

Auto IP: Disabled

Bonjour Status: Enabled

Bonjour Name: Kyocera ECOSYS M3655idn

IP Address: 192.168.10.46

Subnet Mask: 255.255.254.0

Default Gateway: 192.168.10.1

Dynamic DNS: Disabled

DNS User Setting: Disabled

DNS Server(Pri.): Not Defined

DNS Server(Sec.): Not Defined

DNS Search Suffix: Disabled

DNS Search Suffix(Pri.): Not Defined

DNS Search Suffix(Sec.): Not Defined

Domain Name:

WINS User Setting: Disabled

WINS Server(Pri.): Not Defined

WINS Server(Sec.): Not Defined

IPv6:

Status: Enabled

DHCPv6 Status: Enabled

RA Status: Enabled

Manual: Not Defined

DHCPv6(Stateful): Not Defined

RA(Stateless): Not Defined

LinkLocal: fe80::217:c8ff:fee9:6ac3/64

Default Gateway: Not Defined

Dynamic DNS: Disabled

DNS User Setting: Disabled

DNS Server(Pri.): Not Defined

DNS Server(Sec.): Not Defined

DNS Search Suffix: Disabled

DNS Search Suffix(Pri.): Not Defined

DNS Search Suffix(Sec.): Not Defined

Domain Name:

NetBEUI

Status: Enabled

Raw Port

Status: Enabled

IPP

Status: Enabled

IPP over SSL

Status: Enabled

FTP Server

Status: Enabled

Line Printer Daemon

Status: Enabled

HTTP

Status: Enabled

HTTPS

Status: Enabled

WSD-PRINT

Status: Enabled

WSD-SCAN

Status: Enabled

LLTD

Status: Disabled

SNMP v1,v2

Status: Enabled

JetAdmin Compatibility: Disabled

SNMP v3

Status: Disabled

Authentication: Enabled

Privacy: Enabled

POP3

Status: Disabled

Check Interval: 15 Minutes

User 1:

User Profile1: Enabled

POP3 Server Name:

POP3 Port Number: 110

POP3 Login Account Name:

POP3 Login Password: Not Defined

Use APOP: No

POP3 Security: Disabled

Delete Mail after Retrieval: Yes

Mail Size Limit: 0 KB

User 2:

User Profile2: Enabled

POP3 Server Name:

POP3 Port Number: 110

POP3 Login Account Name:

POP3 Login Password: Not Defined

Use APOP: No

POP3 Security: Disabled

Delete Mail after Retrieval: Yes

Mail Size Limit: 0 KB

User 3:

User Profile3: Enabled
POP3 Server Name:
POP3 Port Number: 110
POP3 Login Account Name:
POP3 Login Password: Not Defined
Use APOP: No
POP3 Security: Disabled
Delete Mail after Retrieval: Yes
Mail Size Limit: 0 KB

SMTP

Status: Disabled
SMTP Server Name:
SMTP Port Number: 25
Authentication: Off
Login Account Name:
SMTP Security: Disabled
Sender Address:
Signature:

%printer
[%etheraddr]

E-mail Recipient 1:
Subject: %printer event mail
Recipient 1 Address:
Error Events Reported:
Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Counter Status: Off
Scheduled Reports: None
E-mail Recipient 2:
Subject: %printer event mail
Recipient 2 Address:
Error Events Reported:
Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Counter Status: Off
Scheduled Reports: None
E-mail Recipient 3:
Subject: %printer event mail
Recipient 3 Address:
Error Events Reported:

Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Counter Status: Off
Scheduled Reports: None

SMTP (FAX)

Status: Disabled
Select: On
SMTP Server Name:
SMTP Port Number: 25
Authentication: Off
Login Account Name:
SMTP Security: Disabled
Sender Address:
Signature:

%printer
[%etheraddr]

VNC (RFB)

Status: Disabled
Port Number:

VNC (RFB) over SSL

Status: Disabled
Port Number:

Enhanced VNC (RFB) over SSL

Status: Enabled
Port Number: 9061

SMB

Use Temporary File Name: Off