



Comercial Denia S.A.C.
CODESA



• COPIADORAS
• IMPRESORAS LASER

T.R.

Tipo de atención:

Garantía de fábrica

N° INCIDENCIA

FECHA DEL SERVICIO

08 / 07 / 2024
DD/MM/AA

CLIENTE: MINISTERIO PUBLICO - MOYOBAMBA

DIRECCION: CHACHAPOYAS S/S CDRA 1

REFERENCIA: _____

CONTACTO: _____

MODELO: TASKALFA 600H7

SERIE: H652400335

MOTIVO: SACAR REPORTE 4000

CONTOMETRO: 218966

TECNICO ASIGNADO: FRANK TAFUR GUERRA

HORA DE INICIO: 10:20 HORA DE FIN: 1:30 PM

SE REALIZO: SE VERIFICO EL EQUIPO, SE TOMA FOTOS DE LA PARTE INSTALADA POR SEDE, SE VERIFICA LA ENERGIA SE IMPRIME EL REPORTE 4000. SE REALIZAN PRUEBAS, Y SE CONFIGURA EL ESCANER PARA QUE NO DETECTE PAPEL DOBLADO Y GRAPAS, SE REALIZA PRUEBAS Y EL EQUIPO QUEDA OPERATIVO

OBSERVACIONES: EL EQUIPO NO ESTA CONECTADO AL UN ESTABILIZADOR. NO SE ENCONTRO NINGUN RESPONSABLE PARA QUE FIRME EN EL INFORME TECNICO.

RECOMENDACIONES: CONECTAR EL EQUIPO A UN ESTABILIZADOR

COTIZAR:

Codigo Part List	Nombre del Repuesto	Cantidad	Codigo SAP

GARANTIA:

Codigo Part List	Nombre del Repuesto	Cantidad	Codigo SAP

POZO A TIERRA

TONER ORIGINAL

ESTAB/UPS

Técnico

Cliente

Maintenance Report

MFP

TASKalfa 6004i



Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Machine No.:H6J2400335

Life Count:224376

101	1st TC Output						
	Bias Full						
	1st Side						
	2nd Side	391					
	Bias Half						
	1st Side					278	
	2nd Side					278	
	Bias 3/4						
	1st Side					300	
	2nd Side					300	
	Surround Correct	Off					
106	Adj 2nd TC Output						
	Light/Normal1	95	63	51			
		95	63	51			
		124	93	56			
		133	123	114			
	Normal2/3	95	63	51			
		95	63	51			
		124	93	56			
		133	123	114			
	Heavy1	95	63	51			
		95	72	51			
	Heavy2/3	74	53	40			
		106	62	47			
	Heavy4/5	74	53	40			
		106	62	47			
	OHP	47	41	44			
	Bias		0	0	0		
		72	50	58			
107	Adj 1st TC Clean						
	Belt(A)		8	8	8		
	Belt(B)		8	8	8		
	1st Sheet CLN B/W	Off					
108	Adj Sepa Sbias						
	Output					2	0
	Output 3/4	14	0	5	5		
	Output B/W	20	0	5	5		
	Timing	-20	30	10			
110	Drum Cnt					224277	
115	LSU Time	33556					
117	Drum No.						
	K	J550124T3404					
118	Drum History						
	K	H6J2400335		0			
		XXXXXXXXXX		0			
				0			
119	Set Drum						
120	Drum Drv Dist Cnt					177686	
122	1st Trans No.	C440024C1003					
123	1st Trans History	H6J2400335		0			
		XXXXXXXXXX		0			
				0			
127	Clr Trans Cnt	224277	224277	6814	6814		

Maintenance Report

MFP

TASKalfa 6004i



H6J2400335

08/07/2024 11:31

Firmware Version 2XF_S000.003.009 2022.03.22

[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Machine No.:H6J2400335

Life Count:224376

128	Adj Trans Timing	-20	-20	9			
131	Adj Toner SCV						
	Auto				34405		
132	Supply Toner						
133	Developer Refresh						
135	Chk Toner Motor						
136	Set Toner NearEnd		3				
139	Temp/Humidity						
	Ext/Int	26	65	26			
	LSU	27					
	Developing	26					
140	Adj Dev Bias						
	Mag DC				83		
	Mag AC					980	
	Mag Freq	10629					
	Mag Duty	50					
	AC Calib						
	Auto	On					
	Img Pref	0					
	Altitude Adj.	Normal					
147	Set Toner Apply						
	Timing	22					
	Mode	On					
	Upper Limit	2.0					
148	Set Drum Refresh	2					
155	Toner S Output						
	Calibration	233	195	113	60		
	T/C Target	34735					
157	Dev Time				3996		
158	Dev Cnt				224277		
159	Set Toner Func						
	Container Lock	Empty					
	Cont UnlockDisp	Off					
	Waste Box Setting	On	50				
161	Adj Fuser Temp						
	Warm Up	180	135	30	190	190	85
		180	180				
	Print	190					
	Grain Mode	Mode0					
	Ready Time Adjust	4					
	Mixed Size Mode	Image	40				
164	Fuser History	H6J2400335		0			
		RVF1600032		0			
				0			
165	Fuser No.	J5D013YR7615					
167	Clr Fuser Cnt	23605	2264	312	0	0	19014
169	Set Fuser PS						
	Set Fuser	2					
193	Set Fuser Drv						
	Bias	20					
197	Set Fuser Control						
	Security Gate	Off					
199	Fuser Temp	165	171	161	125		
200	All LEDs On						
201	Init Touch Panel						

Maintenance Report

MFP

TASKalfa 6004i



Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Machine No.:H6J2400335

Life Count:224376

203	Chk DP Ope						
204	Set Card/Counter	Off					
206	Set Coin Mode						
	On/Off Config	Off					
	No Coin Action	Off					
	Price						
	Normal						
	B/W	10	10	10	10		
	AD						
	B/W	100	50	30	50		
	Print						
	B/W	10	10	10	10		
	Boot Mode	Normal					
	Ap1 Charge Mode	Off					
207	Chk Panel Key						
211	Set EH Connection						
	Inner JobSepa	Off					
221	Set USB Host Lock	Off					
223	Lock Panel Ope	Unlock					
224	Inst Orig Display						
230	Device Serial No						
	DP	RWJ23A0582					
243	Chk DP Motor						
244	Chk DP Switch						
250	Mnt Cnt Pre-set	600000		0	300000		
		300000		150000	300000		
251	Clr Mnt Cnt	218967		218967	172201		
		7058		21	70559		
252	Set Dest	Europe Metric					
253	Set D/S Count						
	B/W	DBL(A3/Ledger)					
260	Set Count Mode	Eject					
265	Set Model Dest	1					
271	Set Page Count	2	3				
278	Set Delivery Date	---	---	---			
285	Set Svc Sts Page	On	Off				
286	Set Opt Language						
	Opt Lang 1	PORTUGUESE(BRA)					
	Opt Lang 2	None					
	Opt Lang 3	None					
	Opt Lang 4	None					
	Opt Lang 5	None					
287	Set Reset Func	Off	Off	Off	Off	Off	Off
		Off	Off	Off	Off	On	
323	Warning Heat Hum	Off					
325	Set Paper Int	Off	1				
326	Set Clean Bk Line						
	Black Line Mode	On					
327	Set Cass Heater	Off					
332	Adj Calc Rate	1.0					
339	Chk Drum Heater	On	Off	Mode0			

Maintenance Report

MFP

TASKalfa 6004i



Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Machine No.:H6J2400335

Life Count:224376

340	Set Applied Mode				
	Adj Memory	0			
	Adj Max Job(Prn)	10	50		
	Adj Max Job(Send)	10	200		
341	Set Prn Cass	Off	Off		
343	Set Dup PriMode	Off			
345	Set Mnt Time Disp	0			
346	Slct Sleep Mode				
	Timer/Sleep Level		More Energy Save		
	Auto Sleep		On		
	Fuser Power Mode		Auto		
402	Print Margin	4.5	2.0	2.0	2.0
403	Scan Margin Tbl	2.0	2.0	2.0	2.0
404	Scan Margin DP	3.0	2.5	3.0	4.0
		3.0	2.5	3.0	4.0
407	WR Timing(Rev)	0			
410	Adj Half Tone				
411	Auto Adj Scn				
412	Adj Uneven Dens	Off			
415	Auto Print Pos				
425	Set Target				
	Chart A				
	White	93.6	0.9	-0.4	
	Black	10.6	-0.2	-0.7	
	Gray1	76.2	-0.2	1.2	
	Gray2	25.2	-0.2	-0.2	
	Gray3	51.3	-0.3	0.3	
	C	72.6	-32.8	-11.5	
	M	48.1	69.9	-6.1	
	Y	86.2	-18.6	81.7	
	R	46.7	54.2	38.6	
	G	67.8	-51.3	48.9	
	B	38.8	25.3	-22.8	
	Adjust Original	5.0	10.0	190.0	
	Chart B				
	Adjust Original	15.0	15.0	390.0	
451	Set Chg Amt Estim				
	Permission	On			
	Toner Charge				206
	Carrier Resist				+31
	Reflecting Result	On			
460	Adj Conveying				
464	Set ID Adj Mode				
	Permission	On			
	Time Interval	300			
	Mode	Normal			
	On/Sleep Out	On			
	AP/NE	On			
	Leaving Time	480			
	Timing	600			
	Target Value				137
					360

Maintenance Report



MFP

TASKalfa 6004i

H6J2400335

08/07/2024 11:31

Firmware Version 2XF_S000.003.009 2022.03.22

[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Machine No.:H6J2400335

Life Count:224376

465	ID Adj Data							
	Laser Power						86	
	Laser Power(En)						0	
	Laser Power(Drum)						30	
	Laser Power(Max)						0	
	Bias Calib						0	
	T7 CTD						905	
	Stress	+177	+150					
469	Init Trans Unit							
	Belt Initialize							
	Result	22	+1					
470	Adj JPEG Rate							
	Copy							
	Photo	10	10					
	Text	10	10					
	Send							
	Photo	30	40	51	70	90		
		30	40	51	70	90		
	Text	30	40	51	70	90		
		30	40	51	70	90		
	HC-PDF(File Size)							
		15	25	25				
		15	25	25				
	System	90	90					
	Print	7	7					
474.	Chk LSU Cleaning	1000						
485	Set Img Proc Mode	0						
520	Set Remote Svc							
	On/Off Config	On						
671	Clr FAX Bkup Data							
901	Clr Paper FD Cnt	21	172201	7058				
		45094						
905	Option Cnt							
	DP	69209		2262				
906	Reset Dis Func							
908	Total Cnt	218966						
910	Clr Coverage Dat							
911	Paper SZ Cnt							
	A3, B4, A4, B5, A5, Folio	0	1	218911	0	54	0	
	ETC	0						
917	R/W Bkup Data							
920	Chg Cnt							
	B/W Copy	41786						
	B/W Prn	177180						
	B/W Fax	0						
	Simplex	138331						
	Duplex	80635						
	Comb(Off)	218340						
	Comb(2in1)	625						
	Comb(4in1)	1						
927	Clr Chg/Life Cnt							
928	Life Cnt	224376						
930	Clr Chg Cnt					224277		
933	Set Mnt Log							
935	Mnt Relay Board	0						
942	Adj DPLoop Amt	0		0				

Maintenance Report



MFP

TASKalfa 6004i

Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Machine No.:H6J2400335

Life Count:224376

952	Mainte Work Flow			
977	Set Data Capture			
981	CBM Alert Data			
	Cass Feed			
	Feed Error	0	0	
984	Dev No.			
	K	J560124H6696		
985	Dev History			
	K	H6J2400335	0	
		XXXXXXXXXX	0	
			0	
989	HDD Scandisk			
990	Clr Lamp On Time	6		
991	Scn Cnt	35851	0	39796
		FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF		
		FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF		
		FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF		
		FFFFFFFFFFFFFFFFFFFFFFFF		
		FFFFFFFFFFFFFFFFFFFFFFFF		

Maintenance Report

MFP

TASKalfa 6004i



Firmware Version 2XF_S000.003.009 2022.03.22

[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

H6J2400335

08/07/2024 11:31

Machine No.:H6J2400335

Life Count:224376

000000000003266464001209	000000000000000000000009
0000000000072EB646400120C	00000000000000000000000C
000000000000064640022A7	0000000000000000000000A7
000000000000064640012A8	0000000000000000000000A8
0000000012000962620013A9	0000000000000000000000AA9
00000000000000000000032AB	0000000000000000000000AB
00000000000000000000032AC	0000000000000000000000AC
000003000D0007C8C80012AD	0000000000000000000000AD
000000000000064640022AF	0000000000000000000000AF
0000000000049E64640033B4	0000000000000000000000B4
00000000000000000640032BB	0000000000000000000000BB
000000000004564640012C0	0000000000000000000000C0
000032000A001E1E1E0022C2	0000000000000000000000C2
00000000000003C8C80032CE	0000000000000000000000CE
000000000000DC8C80032CF	0000000000000000000000CF
000000000007C8C80032D0	0000000000000000000000D0
000000000000064640023E7	0000000000000000000000E7
000000000105B064640032E9	0000000000000000000000E9
000006F2C3178264640032EA	0000000000000000000000EA
000000000B9C98C64640032F1	0000000000000000000000F1
0000001DB5C13B64640032F2	0000000000000000000000F2
000000000000064640032F5	0000000000000000000000F5
00000000000137C8C80032F9	0000000000000000000000F9
0000000000023C8C80032FA	0000000000000000000000FA
0000000000097C8C80032FB	0000000000000000000000FB
0000000000000000000000000	000000000000000000000000
0000000000000000000000000	000000000000000000000000
0000000000000000000000000	000000000000000000000000
0000000000000000000000000	000000000000000000000000
0000000000000000000000000	000000000000000000000000
00000000000006464000B01	000000000000000000000001
00000000000006464000502	000000000000000000000002
000000000005546464002703	000000000000000000000003
00000000077C76464003204	000000000000000000000004
00000000000006464003305	000000000000000000000005
00000000000006464000B07	000000000000000000000007
00000000000006464000508	000000000000000000000008
00000000000AAF5E5E003209	000000000000000000000009
000000000000064FD00330A	00000000000000000000000A
00000000072D1646400320C	00000000000000000000000C
000000000000064640032BF	00000000000000000000000F
000000000001064640032C0	000000000000000000000000
000000000101995E5E0032C1	000000000000000000000001
00002C0013001F64640022C2	000000000000000000000002
000000000000064640032C4	000000000000000000000004
000000000000064640032C5	000000000000000000000005
000000000000064640030C6	000000000000000000000006
0000000000000C8C80032C7	000000000000000000000007
000000000000064640002DC	00000000000000000000000D
000000000004E461610032DE	00000000000000000000000E
000000000000064640032DF	00000000000000000000000F
000000000000064640022E0	000000000000000000000000
00000000000B064640026E2	000000000000000000000002
000000000000064640001F0	000000000000000000000001
0000000000000000000000000	000000000000000000000000

Maintenance Report



MFP

TASKalfa 6004i

H6J2400335

Firmware Version 2XF_S000.003.009 2022.03.22

[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

08/07/2024 11:31

Machine No.:H6J2400335

Life Count:224376

00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000
00000000000000000000000000000000

M030BU64MTC

7 13

66992

HDD attached

Paper Jam Log

JAM0000	5	5
JAM0100	1	1
JAM0501	7	7
JAM0502	3	3
JAM0511	73	73
JAM0512	1	1
JAM4001	15	15
JAM4011	2	2
JAM4101	6	6
JAM4201	1	1
JAM4211	1	1
JAM4701	2	2
JAM9000	1	1
JAM9001	5	5
JAM9002	5	5
JAM9010	2	2
JAM9011	72	72
JAM9020	51	51
JAM9030	519	519
JAM9050	175	175
JAM9110	2	2
JAM9300	1	1
JAM9310	6	6
JAM9400	11	11
JAM9600	7	7
JAM9610	3	3

Service Call Log

C3100	1	1
C1010	1	1
C9000	1	1
Cf124	1	1
C3502	1	1
Cf244	3	3
C1020	1	1
C6000	2	2
C6770	1	1

Página de estado

MFP

TASKalfa 6004i



H6J2400335

08/07/2024 11:31

[2.1.13]

Versión del firmware 2XF_S000.003.009 2022.03.22

[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Config. papel

Tamaño/Tipo bandeja MP: A4/Normal
Tamaño/Tipo depósito 1: A4/Normal
Tamaño/Tipo depósito 2: A4/Normal

Estado de opciones

Procesador del documento: Escaneado doble
depósito de papel: No instalar
Depósito lateral: No instalar
Finalizador: No instalar
Buzón de documentos: No instalar
Separador de Trabajos: No instalar
Disco duro: No instalar
SD Card: No instalar
Card Authentication (B): No instalar
Internet FAX Kit(A): No instalar
UG-33: No instalar
UG-34: No instalar
Scan extension kit(A): No instalar
Teclado num. opcional: No instalar
Unidad de inserción: No instalar
Unidad de plegado en Z: No instalar
Bandeja despl. interna: No instalar


Memoria

Tamaño total: 4.5 GB

Borrado de datos

Resultado:--

Indicador de tóner



Seguridad

Encrip. de datos/Sobrees: Desactivar
Trusted Platform Module: Desactivar
Versión de especificación: 2.0
Fabricante: IFX
Versión del fabricante: 1.16
Inicio seguro: Activar
Compr. integr. tmp ejec.: Activar
Lista permitida: Desactivar

Contadores

Copia	41786			
Impresora	177180			
FAX	0			
Total	218966			
Tamaño papel				
A3	0			
B4	1			
A4	218911			
B5	0			
A5	54			
Folio	0			
Ledger	0			
Legal	0			
Letter	0			
Statement	0			
Banner 1	0			
Banner 2	0			
Otro1	0			
Otro2	0			
Páginas escaneadas				
Copia	35851			
FAX	0			
Otro	39796			
Total	75647			
Dúplex	Simplex	2 en 1	4 en 1	1 en 1
80635	138331	625	1	218340

Página de estado

MFP

TASKalfa 6004i



H6J2400335

08/07/2024 11:31

[2.1.13]

Versión del firmware 2XF_S000.003.009 2022.03.22

[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Config. de dispositivo

Reglas de reposo:
Aplicación: Activar
Sueño: 10 Minutos
Temporiz. apagado: 3 días
Tiempo espera alim. pap.: 30 Segundos
Bypass vacío: Activar

Bloqueo de interfaz

Host USB: Desbloquear
Dispositivo USB: Desbloquear
memoria USB: Desbloquear
Opción I/F 1: Desbloquear
Opción I/F 2: Desbloquear

Configuración de grupo

Ninguna

Configuración TRABAJOS

Nombre trabajo: doc

Configuración de impresión

Copias: 1
Tipo de papel predeterm.: Ninguna
Modo KIR: Activar
Resolución: 600 dpi

Emulación

Emulación: PCL6
Fuente predeterminada: Courier
Caracteres predet.: IBM PC-8

EcoPrint

Estado: Desactivar

Configuración de escaneo

Formato archivo: PDF
Resolución: 300x300dpi
Calidad: Texto+foto

Configuración de copia

Calidad: Texto+foto (Revista)
Intercalar: Activar

Red

Interfaz LAN
Configuración: Automático
Actual: 100BASE-TX Full
TCP/IP
Estado: Activar
Nombre host impresora: FECOF-MOYOBAMBA
IPv4
Estado DHCPv4: Desactivar
Estado Bonjour: Activar
Dirección IP: 10.17.166.30
Máscara subred: 255.255.254.0
Gateway predet.: 10.17.166.1
IPv6
Estado: Desactivar
Estado DHCPv6: Activar
Estado RA: Activar
Manual: No definido
DHCPv6(Stateful): No definido
RA(Stateless): No definido
LinkLocal: No definido
Wi-Fi
Dirección MAC: 00:17:C8:A8:F9:E6
Wi-Fi: Desactivar
Wi-Fi Direct
Wi-Fi Direct: Desactivar

Service Status Page



MFP

TASKalfa 6004i

H6J2400335

08/07/2024 11:31

[2.1.13]

Firmware Version 2XF_S000.003.009 2022.03.22

[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Controller Information

Memory Status

Total Size 4.5 GB

Time

Local Time Zone

-05:00 Bogota, Lima, Quito, Rio Branco

Date and Time 08/07/2024 11:31

Time Server

Installed Options

Document Processor Dual Scan
Paper Feeder Not Installed
Side Feeder Not Installed
Hard Disk Not Installed
SD Card Not Installed
Finisher Not Installed
Mail Box Not Installed
Job Separator Not Installed
Card Authentication Kit (B) Not Installed

Internet FAX Kit(A) Not Installed

UG-33 Not Installed

UG-34 Not Installed

USB Keyboard Not Connected

USB Keyboard Type US-English

Scan extension kit(A) Not Installed

Insertor Not Installed

Z-Fold Unit Not Installed

Inner Shift Tray Not Installed

Print Coverage

Average (%) / Usage Page(A4/Letter Conversion)

Total
K: 7.04 / 218943.50

Copy
K: 8.20 / 41782.50

Printer
K: 6.77 / 177161.00

FAX
K: 0.00 / 0.00

Period (26/04/2022 - 08/07/2024 11:31)

Last Page (%) 0.00

Last Job (%) 0.00

FRPO Status

User Top Margin A1+A2/100 0.00
User Left Margin A3+A4/100 0.00
User Page Length A5+A6/100 17.30
User Page Width A7+A8/100 17.30
Reserved B0 00
Default Pattern Switch B8 00
Page Orientation C1 00
Default Font Number C5*10000+C2*100+C3 00000
PCL Font Switch C8 00
Reserved D6 03
Host Buffer Size H8 05
FF Time Out H9 06
Reserved I5 01
Reserved I6 00
Zoom J0 00
KIR Mode N0 02
Duplex mode N4 00
Sleep Timer N5 10
EcoPrint Mode N6 00
Reserved N7 00
Print Resolution N8 01
Default Emulation P1 06

CR/LF Action	P2/P3	1/1
AES Mode	P4	00
Alt. Emulation	P5	06
AES Option 1/2	P7	10
Command Recognition	P9	82
Default Paper Output	R0	01
Default Paper Size	R2	00
Reserved	R3	00
Default Paper Source	R4	01
Sorter full switch	S3	00
Override A4/LT	S4	01
Host Buffer Size Rate	S5	01
Wide A4	T6	00
Default Line Spacing	U0+U1/100	6.00
Default Character Spacing	U2+U3/100	10.00
Reserved	U4	01
Country Code/Symbol Set	U6/U7	41/53
Default Pitch	U8+U9/100	10.00
Default Font Height	V0*100+V1+V2/100	12.00
Default Font Name	V3	Courier
Courier/LetterGothic	V9	05
MP Tray Paper Type	X0	01
Cassette 1 Paper Type	X1	01
Cassette 2 Paper Type	X2	01
Cassette 3 Paper Type	X3	01
Cassette 4 Paper Type	X4	01
Cassette 5 Paper Type	X5	01
PCL Paper Source	X9	00
Auto Error Clear	Y0	00
Error Clear Timer	Y1	06
Finishing Error	Y3	255
Special Type Act Mode	Y4	00
PDF mode	Y5	00
e-MPS error control	Y6	03

Service Status Page

MFP



TASKalfa 6004i

H6J2400335

08/07/2024 11:31

[2.1.13]

Firmware Version 2XF_S000.003.009 2022.03.22

[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Controller Information

RP Code

0004 0FA0 E142

0004 0FA0 E532

FFFF FFFF FFFF

FFFF FFFF FFFF

Print Settings

MP Tray Priority Off

Storage Status

Hard Disk 320GB

SSD 30GB

System Firmware(Details)

2XF_Q000.003.009

2XF_QA00.003.009

2XF_R000.003.009

2XF_R100.003.009

2XF_R200.003.009

2XF_R300.003.009

2XF_R400.003.009

2XF_R500.003.009

2XF_R600.003.009

2XF_R700.003.009

2XF_R800.003.009

2XF_R900.003.009

2XF_RB00.003.009

2XF_RC00.003.009

2XF_RD00.003.009

2XF_S100.003.009

Engine Information

NVRAM Version _CtK9B08_CtK9B08

MAC Address 00:17:C8:DA:0A:71

DP Counters

Total 71471

Event Log

MFP

TASKalfa 6004i



Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Machine No.:H6J2400335

Life Count:224391

Paper Jam Log

#	Count.	Event Descriptions	Date and Time
16	224327	9030.00.88.00.00	08/07/2024 09:14
15	224221	9011.00.88.00.00	05/07/2024 17:13
14	224221	9030.00.08.00.00	05/07/2024 17:10
13	224221	9011.00.08.00.00	05/07/2024 17:10
12	224221	9030.00.08.00.00	05/07/2024 17:09
11	224169	9030.00.88.00.00	04/07/2024 16:14
10	224090	0511.01.88.01.01	04/07/2024 12:15
9	222346	9050.00.08.00.00	04/07/2024 06:36
8	222112	4001.01.88.01.01	03/07/2024 23:14
7	222073	0511.01.88.01.01	03/07/2024 23:11
6	220897	9011.00.88.00.00	03/07/2024 12:36
5	220896	9030.00.88.00.00	03/07/2024 12:35
4	220890	9030.00.88.00.00	03/07/2024 12:27
3	219732	9030.00.88.00.00	01/07/2024 10:06
2	219731	9030.00.88.00.00	01/07/2024 10:05
1	219727	9030.00.88.00.00	01/07/2024 10:04

Service Call Log

#	Count.	Service Code	Date and Time
8	218078	01.01.F244	26/06/2024 04:24
7	217031	01.01.F244	19/06/2024 19:37
6	190044	01.00.6770	28/03/2024 14:31
5	190044	01.00.6000	28/03/2024 14:06
4	161952	01.00.6000	06/02/2024 15:04
3	101952	02.00.1020	06/11/2023 12:18
2	80511	01.00.F244	03/10/2023 16:37
1	50312	02.00.3502	24/06/2023 18:41

Maintenance Log

#	Count.	Item.	Date and Time
---	--------	-------	---------------

Log Data Nothing...

Toner Log

#	Count.	Item. Serial Number	Date and Time	Detail
7	195202	01.00 0000140140315565	15/04/2024 11:09	A.100
6	195202	01.00 0000112326465620	15/04/2024 11:09	B.000
5	163028	01.00 0000137398507175	08/02/2024 10:42	B.000
4	131331	01.00 0000150049020535	22/12/2023 12:26	B.000
3	98672	01.00 0000174481558687	02/11/2023 08:23	B.000
2	65316	01.00 0000112512642562	21/08/2023 17:15	B.000
1	31389	01.00 0000193274208734	17/04/2023 11:19	B.000

Event Log

MFP

TASKalfa 6004i



Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Machine No.:H6J2400335

Life Count:224391

Counter Log

J0000: 5	J4113: 0	J4915: 0	J6911: 0	J9300: 1	JB980: 0
J0100: 1	J4114: 0	J4918: 0	J6912: 0	J9310: 6	JB990: 0
J0101: 0	J4115: 0	J4919: 0	J7000: 0	J9400: 11	C3100: 1(0)
J0104: 0	J4118: 0	J5001: 0	J7001: 0	J9410: 0	C1010: 1(0)
J0105: 0	J4119: 0	J5002: 0	J7002: 0	J9600: 7	C9000: 1(0)
J0106: 0	J4201: 1	J5003: 0	J7100: 0	J9610: 3	CF124: 1(0)
J0107: 0	J4202: 0	J5004: 0	J7110: 0	JA000: 0	C3502: 1(0)
J0110: 0	J4203: 0	J5005: 0	J7200: 0	JA010: 0	CF244: 3(2)
J0111: 0	J4204: 0	J5008: 0	J7210: 0	JA020: 0	C1020: 1(0)
J0114: 0	J4205: 0	J5009: 0	J7300: 0	JA100: 0	C6000: 2(0)
J0212: 0	J4208: 0	J5011: 0	J7310: 0	JA102: 0	C6770: 1(0)
J0213: 0	J4209: 0	J5012: 0	J7400: 0	JA103: 0	T00: 7
J0300: 0	J4211: 1	J5013: 0	J7500: 0	JA110: 0	
J0501: 7	J4212: 0	J5014: 0	J7600: 0	JA112: 0	
J0502: 3	J4213: 0	J5015: 0	J7700: 0	JA113: 0	
J0503: 0	J4214: 0	J5018: 0	J7710: 0	JA300: 0	
J0504: 0	J4215: 0	J5019: 0	J7800: 0	JA301: 0	
J0508: 0	J4218: 0	J6000: 0	J7810: 0	JA303: 0	
J0509: 0	J4219: 0	J6001: 0	J7900: 0	JA304: 0	
J0511: 73	J4301: 0	J6002: 0	J7901: 0	JA310: 0	
J0512: 1	J4302: 0	J6012: 0	J7902: 0	JA311: 0	
J0513: 0	J4303: 0	J6020: 0	J7910: 0	JA313: 0	
J0514: 0	J4304: 0	J6021: 0	J7911: 0	JA314: 0	
J0518: 0	J4305: 0	J6030: 0	J7912: 0	JA900: 0	
J0519: 0	J4309: 0	J6040: 0	J7913: 0	JA901: 0	
J0523: 0	J4311: 0	J6041: 0	J7914: 0	JA910: 0	
J0524: 0	J4312: 0	J6050: 0	J7915: 0	JB000: 0	
J0533: 0	J4313: 0	J6060: 0	J7916: 0	JB010: 0	
J0534: 0	J4314: 0	J6070: 0	J7917: 0	JB100: 0	
J0545: 0	J4315: 0	J6080: 0	J7918: 0	JB110: 0	
J0555: 0	J4319: 0	J6100: 0	J7919: 0	JB200: 0	
J0566: 0	J4401: 0	J6101: 0	J7920: 0	JB210: 0	
J0567: 0	J4402: 0	J6102: 0	J7921: 0	JB300: 0	
J0576: 0	J4403: 0	J6110: 0	J7922: 0	JB310: 0	
J0577: 0	J4404: 0	J6111: 0	J7923: 0	JB400: 0	
J1403: 0	J4405: 0	J6112: 0	J7924: 0	JB410: 0	
J1404: 0	J4409: 0	J6200: 0	J7925: 0	JB500: 0	
J1413: 0	J4701: 2	J6210: 0	J7930: 0	JB510: 0	
J1414: 0	J4702: 0	J6300: 0	J7931: 0	JB600: 0	
J1604: 0	J4703: 0	J6301: 0	J7932: 0	JB610: 0	
J1614: 0	J4704: 0	J6310: 0	J7933: 0	JB700: 0	
J4001: 15	J4705: 0	J6311: 0	J7934: 0	JB710: 0	
J4002: 0	J4709: 0	J6400: 0	J7935: 0	JB800: 0	
J4003: 0	J4711: 0	J6401: 0	J9000: 1	JB810: 0	
J4004: 0	J4712: 0	J6402: 0	J9001: 5	JB900: 0	
J4005: 0	J4713: 0	J6410: 0	J9002: 5	JB901: 0	
J4011: 2	J4714: 0	J6411: 0	J9004: 0	JB902: 0	
J4012: 0	J4715: 0	J6412: 0	J9005: 0	JB903: 0	
J4013: 0	J4719: 0	J6500: 0	J9006: 0	JB904: 0	
J4014: 0	J4901: 0	J6510: 0	J9007: 0	JB905: 0	
J4015: 0	J4902: 0	J6511: 0	J9009: 0	JB906: 0	
J4101: 6	J4903: 0	J6512: 0	J9010: 2	JB907: 0	
J4102: 0	J4904: 0	J6600: 0	J9011: 72	JB908: 0	
J4103: 0	J4905: 0	J6610: 0	J9020: 51	JB910: 0	
J4104: 0	J4908: 0	J6700: 0	J9030: 519	JB920: 0	
J4105: 0	J4909: 0	J6710: 0	J9031: 0	JB930: 0	
J4108: 0	J4911: 0	J6810: 0	J9050: 175	JB940: 0	
J4109: 0	J4912: 0	J6811: 0	J9110: 2	JB950: 0	
J4111: 0	J4913: 0	J6812: 0	J9200: 0	JB960: 0	
J4112: 0	J4914: 0	J6910: 0	J9210: 0	JB970: 0	

Network Status Page



MFP

TASKalfa 6004i

Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Network Detail

MAC Address: 00:17:C8:DA:0A:71

LAN Interface

Setting: Auto
Current: 100BASE-TX Full

SSL/TLS Server

Status: Enabled
HTTPS: Enabled

IPSec

Setting: Off
Restriction: Allow
Status: Inactive
Rule 1: Off
Rule 2: Off
Rule 3: Off
Rule 4: Off
Rule 5: Off
Rule 6: Off
Rule 7: Off
Rule 8: Off
Rule 9: Off
Rule 10: Off

IEEE 802.1X

Status: Disabled
Type: PEAP

Certificate Status

Device 1(Self Issued): Active
Device 2: Inactive
Device 3: Inactive
Device 4: Inactive
Device 5: Inactive
Root 1: Inactive
Root 2: Inactive
Root 3: Inactive
Root 4: Inactive
Root 5: Inactive
Certif. Verifi. Level:
Device 2: 1
Device 3: 1
Device 4: 1
Device 5: 1

Enhanced WSD

Status: Enabled

Enhanced WSD over SSL

Status: Enabled

TCP/IP

Status: Enabled
Printer Host Name: FECOF-MOYOBAMBA
Bonjour Status: Enabled
Bonjour Name: Kyocera TASKalfa 6004i
Dynamic DNS: Disabled
IPv4(Common):
Default Gateway: 10.17.166.1

IPv4(Wired Network):

DHCPv4 Status: Disabled
Auto IP: Enabled
IP Address: 10.17.166.30
Subnet Mask: 255.255.254.0
DNS User Setting: Enabled
DNS Server(Pri.): 192.168.10.2
DNS Server(Sec.): Not Defined
DNS Search Suffix: Enabled
DNS Search Suffix(Pri.): Not Defined
DNS Search Suffix(Sec.): Not Defined
Domain Name:
WINS User Setting: Enabled
WINS Server(Pri.): Not Defined
WINS Server(Sec.): Not Defined
DNS:
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)
DNS over TLS: Off

IPv4(Wireless Network):

DHCPv4 Status: Enabled
Auto IP: Enabled
IP Address: Not Defined
Subnet Mask: Not Defined
DNS User Setting: Disabled
DNS Server(Pri.): Not Defined
DNS Server(Sec.): Not Defined
DNS Search Suffix: Disabled
DNS Search Suffix(Pri.): Not Defined
DNS Search Suffix(Sec.): Not Defined
Domain Name:
WINS User Setting: Disabled
WINS Server(Pri.): Not Defined
WINS Server(Sec.): Not Defined
DNS:
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)
DNS over TLS: Off

Network Status Page

MFP

TASKalfa 6004i



Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

TCP/IP

IPv6(Common):
Default Gateway: Not Defined
IPv6(Wired Network):
Status: Disabled
DHCPv6 Status: Enabled
RA Status: Enabled
Manual: Not Defined
DHCPv6(Stateful): Not Defined
RA(Stateless): Not Defined
LinkLocal: Not Defined
DNS User Setting: Disabled
DNS Server(Pri.): Not Defined
DNS Server(Sec.): Not Defined
DNS Search Suffix: Disabled
DNS Search Suffix(Pri.): Not Defined
DNS Search Suffix(Sec.): Not Defined
Domain Name:
DNS:
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)
DNS over TLS: Off

IPv6(Wireless Network):

Status: Disabled
DHCPv6 Status: Enabled
RA Status: Enabled
Manual: Not Defined
DHCPv6(Stateful): Not Defined
RA(Stateless): Not Defined
LinkLocal: Not Defined
DNS User Setting: Disabled
DNS Server(Pri.): Not Defined
DNS Server(Sec.): Not Defined
DNS Search Suffix: Disabled
DNS Search Suffix(Pri.): Not Defined
DNS Search Suffix(Sec.): Not Defined
Domain Name:
DNS:
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)
DNS over TLS: Off

NetBEUI

Status: Enabled

Raw Port

Status: Enabled

IPP

Status: Enabled

IPP over SSL

Status: Enabled

FTP Server

Status: Enabled

FTP Client

Status: Enabled

Certif. Verifi. Level: 1
Hash: SHA-2(256/384)

Line Printer Daemon

Status: Enabled

Network Status Page



MFP

TASKalfa 6004i

Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

HTTP

Status: Enabled
ClientSide:
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)
Google Cloud Print:
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)
SOAP:
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)

User 2:

User Profile2: Enabled
POP3 Server Name:
POP3 Port Number: 110
POP3 Login Account Name:
Use APOP: No
POP3 Security: Disabled
Delete Mail after Retrieval: Yes
Mail Size Limit: 0 KB
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)

HTTPS

Status: Enabled

User 3:

User Profile3: Enabled
POP3 Server Name:
POP3 Port Number: 110
POP3 Login Account Name:
Use APOP: No
POP3 Security: Disabled
Delete Mail after Retrieval: Yes
Mail Size Limit: 0 KB
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)

WSD-PRINT

Status: Enabled

WSD-SCAN

Status: Enabled

LLTD

Status: Disabled

SNMP v1.v2

Status: Enabled
JetAdmin Compatibility: Disabled

SNMP v3

Status: Disabled
Authentication: Enabled
Privacy: Enabled

POP3

Status: Disabled
Check Interval: 15 Minutes

User 1:

User Profile1: Enabled
POP3 Server Name:
POP3 Port Number: 110
POP3 Login Account Name:
Use APOP: No
POP3 Security: Disabled
Delete Mail after Retrieval: Yes
Mail Size Limit: 0 KB
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)

Network Status Page



MFP

TASKalfa 6004i

Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

SMTP

Status: Disabled
SMTP Server Name:
SMTP Port Number: 25
Authentication: Off
Login Account Name:
SMTP Security: Disabled
Sender Address:
Signature:

%printer
[%etheraddr]

Certif. Verifi. Level: 1
Hash: SHA-2(256/384)

E-mail Recipient 1:

Subject: %printer event mail
Recipient 1 Address:
Error Events Reported:
Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Almost Full Waste Toner: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Syslog Record Kept Alert: Off
Counter Status: Off
Scheduled Reports: None

Network Status Page



MFP

TASKalfa 6004i

Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

SMTP

E-mail Recipient 2:
Subject: %printer event mail
Recipient 2 Address:
Error Events Reported:
Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Almost Full Waste Toner: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Syslog Record Kept Alert: Off
Counter Status: Off
Scheduled Reports: None
E-mail Recipient 3:
Subject: %printer event mail
Recipient 3 Address:

Error Events Reported:
Add Paper: No
Low Toner: No
Add Toner: No
Cover Open: No
Paper Jam: No
Almost Full Waste Toner: No
Full Waste Toner Box: No
All Other Errors: No
E-mail Interval: 10
Syslog Record Kept Alert: Off
Counter Status: Off
Scheduled Reports: None

SMTP (FAX)

Status: Disabled
Select: On
SMTP Server Name:
SMTP Port Number: 25
Authentication: Off
Login Account Name:
SMTP Security: Disabled
Sender Address:
Signature:

%printer
[%etheraddr]

SMTP (Service Maintenance)

Status: Disabled
Certif. Verifi. Level: 1
Hash: SHA-2(256/384)

Network Status Page



MFP

TASKalfa 6004i

Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:31
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

VNC (RFB)

Status: Disabled
Port Number: 9062

VNC (RFB) over SSL

Status: Disabled
Port Number: 9063

Enhanced VNC (RFB) over SSL

Status: Enabled
Port Number: 9061

SMB

Use Temporary File Name: Off

Wi-Fi

MAC Address: 00:17:C8:A8:F9:E6

Wireless Network: Off

Connection Status: Not Connected

IP Address: Not Defined

Network Name (SSID):

Network Authentication: Open

Channel: 0

RSSI: 0

Wi-Fi Direct: Off

Device Name:

IP Address: Not Defined

Network Name (SSID):

Network Authentication:

Password:

Channel (Operate): 0

Connection List:

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

MAC Address: 00:00:00:00:00:00

Device Name:

Device Name:

Device Name:

Device Name:

Device Name:

Device Name:

Device Name:

Device Name:

Device Name:

Device Name:

LDAP

Status: Disabled

Certif. Verifi. Level: 1

Hash: SHA-2(256/384)

S/MIME

Status: Disabled

Certif. Verifi. Level: 1

Remote Services

Remote Services: On

Certif. Verifi. Level: 1

Hash: SHA-2(256/384)

Configuration List

MFP

TASKalfa 6004i



Firmware Version 2XF_S000.003.009 2022.03.22

H6J2400335
08/07/2024 11:33
[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Adjustment Settings

Density Adjustment
Copy: 0
Send/Box: 0
Correcting Black Line: On(Low)
Display Brightness: 3
Background Density Adj.
Copy: 0
Send/Box: 0
Silent Mode: Off
Prevent Light Reflection: Off
Contrast
Copy: 0
Send/Box: 0
Sharpness Adjustment
Copy (All): 0
Copy (Text/Fine Line): 0
Send/Box (All): 0
Send/Box (Text/Fine Line): 0
Deskew Originals: On
Auto Color Correction: 3
Calibration Cycle: Standard
Auto Drum Refresh: Standard
Drum Heater: Off
Banner Page Count A: 2
Banner Page Count B: 3

Time/Energy Save Settings

Date/Time: 08/07/2024 11:33:13
Date Format: DD/MM/YYYY
Time Zone:
-05:00 Bogota, Lima, Quito, Rio Branco
Auto Error Clear: Off
Sleep Rules
Application: Enabled
EnergySaver RecoveryLevel: Normal Recovery
Sleep Timer: 10Minutes
Low Power Timer: 3Minutes
Interrupt Clear Timer: 60Seconds
Error Job Skip: 30Seconds
Weekly Timer Settings
Weekly Timer: Off
Retry Times: Limited Retries(0times)
Retry Interval: 50Seconds
Ping Timeout: 5Seconds
Auto Panel Reset: On
Panel Reset Timer: 90Seconds

Device Settings

Interface Block
USB Host: Unblock
USB Device: Unblock
USB Drive: Unblock
Option I/F 1: Unblock
Option I/F 2: Unblock
Keyboard Layout: QWERTY
Optional Keyboard Type: US-English
Buzzer
Volume: 3
Key Confirmation: On
Job Finish: Off
Ready: Off
Warning: On
Optional Keyboard: Off

Function Key Registration

Function Key 1: Copy
Function Key 2: Send
Function Key 3: FAX
Internet Browser: Off
Motion Sensor: Level2
Toner Near End Detect.(K): 3

Paper Settings

Custom Original Size
Custom 1: Off
Custom 2: Off
Custom 3: Off
Custom 4: Off
Custom Paper Size
Custom 1: Off
Custom 2: Off
Custom 3: Off
Custom 4: Off
Auto Detect Original Size
System of Units: Metric
11x15: Off
A6/Hagaki: A6
Folio: On
Legal/Oficio II/216x340: Legal
Default Paper Source: Cassette 1
Media for Auto
B & W: Plain

Cassette/MP Tray Settings

Multipurpose Tray: A4/Plain
Cassette 1: A4/Plain
Cassette 2: A4/Plain

Media Type Setting

Plain: Normal 2
Rough: Normal 3
Vellum: Heavy 1
Labels: Heavy 2
Recycled: Normal 2
Preprinted: Normal 2
Bond: Normal 3
Cardstock: Heavy 4
Color: Normal 3
Prepunched: Normal 2
Letterhead: Normal 2
Envelope: Heavy 3
Thick: Heavy 3
Coated: Heavy 1
High Quality: Normal 2
Index Tabs: Heavy 4
Transparency: Extra Heavy
Custom 1: Normal 2(Enabled)
Custom 2: Normal 2(Enabled)
Custom 3: Normal 2(Enabled)
Custom 4: Normal 2(Enabled)
Custom 5: Normal 2(Enabled)
Custom 6: Normal 2(Enabled)
Custom 7: Normal 2(Enabled)
Custom 8: Normal 2(Enabled)

Paper Source for Cover

Paper Source for Front Cover: Multipurpose Tray
Paper Source for Back Cover: Multipurpose Tray
Show Paper Setup Message
Multipurpose Tray: On
Cassette 1: Off

Maintenance Report



MFP

TASKalfa 6004i

H6J2400335

08/07/2024 11:30

Firmware Version 2XF_S000.003.009 2022.03.22

[2XF_1000.002.001] [2XC_1100.001.002] [2XC_7200.001.008]

Machine No.:H6J2400335

Life Count:224361

```

000 Mainte Report
001 Exit Mainte
002 Set Factory Def
003 Set Tel No.
004 Machine No. H6J2400335
010 Set Mainte ID
019 Firm Version
    Controller 2XF_S000.003.009
    CMN App 2XF_R000.003.009
    SST App 2XF_R100.003.009
    MNT App 2XF_R200.003.009
    CPY App 2XF_R300.003.009
    PRT App 2XF_R400.003.009
    SND App 2XF_R500.003.009
    BOX App 2XF_R600.003.009
    FAX App 2XF_R700.003.009
    WPG App 2XF_R800.003.009
    AUTH App 2XF_R900.003.009
    PCS App 2XF_RB00.003.009
    HOME App 2XF_RC00.003.009
    SCO App 2XF_RD00.003.009
    PLP 2XF_Q000.003.009
    EXSP 2XF_QA00.003.009
    Version Info 2XF_S100.003.009
    RFID 2KV_D100.003.001
    OCR 2XC_L000.001.001
    Sub MMI, Sub MMI Boot, Sub MMI Conf 2XC_7200.001.008 2XC_7300.001.001 2V8_7400.001.018
    Engine, Engine Boot 2XF_1000.002.001 2XC_1100.001.002
    HyPAS EMB API 2.1.13
    Option Language 2XC_81XM.003.001
    Super Resolution 2XC_T100.001.003
    Ext Handwritten 2XC_T400.001.004
    DP, DP Boot 3TC_9500.002.301 3TC_9510.001.001
    DP SSW 3TD_9520.001.002
    Motor CPU, Motor CPU Boot 2XC_1400.001.101 2XC_1500.001.003
    FMU Connection J00_E00C.012.004
    MultiCrop Scan J00_E04F.001.007
021 Init Memory
024 Format HDD
025 Firm Update(S)
026 Pulling Bkup Data
030 Chk Motor
031 Chk Switch
032 Chk Clutch
033 Chk Solenoid
034 Adj Paper Timing
    Start Position 0.0 0.0 0.0 0.0 0.0 0.0
    Center Line 0.0 0.0 0.0 0.0 0.0 0.0
    Start Position 3/4 0.0 0.0 0.0 0.0 0.0 0.0
035 Adj Folio Sz 330 210
037 Chk Fan Motor
    
```